

# SOLID WOOD PROFILES FOR WALLS AND CEILINGS

## PRODUCT DESCRIPTION:

- finely planed
- shrink-wrapped, EAN-coded, labelled
- various lengths available

## QUALITY:

- WMC (sawmill grade/ mixed grade A/B)







- ✓ energy-saving
- ✓ heat-insulating
- ✓ moisture-balancing
- ✓ breathable
- ✓ resistant
- ✓ durable
- ✓ low-maintenance & decorative

Examples of applications: Wall and ceiling cladding for interior, roof construction, exterior and gable cladding, roof soffits, door and gate construction, decorative wood cladding of all kinds, ...

	Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type		EAN	Supplier item number	
					pcs/ bundle	bun- dles/ pallet			
<b>Standard, spruce/fir, PEFC, made in Germany</b>									
	A ★★★★★	12.5 x 96	1800	1.73	10	22	220	4000868001023	3100005401800
			2100	2.02	10	22	220	4000868001030	3100005402100
			2400	2.30	10	22	220	4000868001047	3100005402400
			2700	2.59	10	22	220	4000868001054	3100005402700
			3000	2.88	10	22	220	4000868001061	3100005403000
	WMC ★★★★	12.5 x 96	1800	1.73	10	22	220	4000868017178	3100006601800
			2000	1.92	10	22	220	4000868017604	3100006602000
			2100	2.02	10	22	220	4000868017321	3100006602100
			2400	2.30	10	22	220	4000868017338	3100006602400
			2700	2.59	10	22	220	4000868017208	3100006602700
			3000	2.88	10	22	220	4000868017345	3100006603000
			4200	4.03	10	22	220	4000868017253	3100006604200
	B ★★★	12.5 x 96	1800	1.73	10	22	220	4000868001221 *	3100006101800
			2000	1.92	10	22	220	4000868006295	3100006102000
			2100	2.02	10	22	220	4000868001238 *	3100006102100
			2400	2.30	10	22	220	4000868001245 *	3100006102400
			2700	2.59	10	22	220	4000868001252 *	3100006102700
			3000	2.88	10	22	220	4000868001269 *	3100006103000
			4200	4.03	10	22	220	4000868001306	3100006104200


\* certified with the QNG-ready seal

Packaging type

Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type			EAN	Supplier item number
				pcs/ bundle	bun- dles/ pallet	pcs/ pallet		
<b>Softline, spruce/fir, PEFC, made in Germany</b> 								
 A ★★★★	14 x 121	2100	1.78	7	27	189	4000868001818	3100011502100
		2400	2.03	7	27	189	4000868001825	3100011502400
		3000	2.54	7	27	189	4000868001849	3100011503000
		4200	3.56	7	27	189	4000868001887	3100011504200
 WMC ★★★	14 x 121	2000	1.69	7	27	189	4000868034878	3100015302000
		2100	1.78	7	27	189	4000868033833	3100015302100
		3000	2.54	7	27	189	4000868033864	3100015303000
 B ★★	14 x 121	4200	3.56	7	27	189	4000868034854	3100015304200
		1800	1.52	7	27	189	4000868021656	3100012201800
		2100	1.78	7	27	189	4000868021663 *	3100012202100
		2400	2.03	7	27	189	4000868021670 *	3100012202400
		2700	2.29	7	27	189	4000868021687 *	3100012202700
		3000	2.54	7	27	189	4000868021694 *	3100012203000
		4200	3.56	7	27	189	4000868021731	3100012204200


\* certified with the QNG-ready seal

**Chamfer, spruce/fir, structure planed, PEFC, made in Germany** 

 A ★★★★	14 x 121	2000	1.69	7	27	189	4000868014115	3100021802000
		2500	2.12	7	27	189	4000868014122	3100021802500
		3000	2.54	7	27	189	4000868014139	3100021803000


Other versions available on a sporadic basis.




**Softline, spruce/fir, PEFC, made in Germany** 

 WMC ★★★	19 x 146	1800	1.31	5	21	105	4000868029508	3180018801800
		2100	1.53	5	21	105	4000868029515	3180018802100
		2400	1.75	5	21	105	4000868029522	3180018802400
		2700	1.97	5	21	105	4000868029539	3180018802700
		3000	2.19	5	21	105	4000868029546	3180018803000
		3300 *	2.41	5	21	105	4000868029553	3180018803300
		3600 *	2.63	5	21	105	4000868029560	3180018803600
		3900 *	2.85	5	21	105	4000868029577	3180018803900
		4200 *	3.07	5	21	105	4000868029584	3180018804200
		5100 *	3.72	5	21	105	4000868029591	3180018805100




\* while stocks last

**Chamfer, spruce/fir, PEFC, made in Germany** 




 B ★★	14 x 121	2000	1.69	7	27	189	4000868013347	3100016302000
		2500	2.12	7	27	189	4000868013354	3100016302500
		3000	2.54	7	27	189	4000868013361	3100016303000
		4000	3.39	7	27	189	4000868013378	3100016304000

Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type			EAN	Supplier item number
				pcs/ bundle	bun- dles/ pallet	pcs/ pallet		
<b>Chamfer, spruce/fir, PEFC, made in Germany</b> 								
 B 	19 x 146	2000	1.46	5	21	105	4000868026385 *	3180009802000
		2500	1.83	5	21	105	4000868026392 *	3180009802500
		3000	2.19	5	21	105	4000868023957 *	3180009803000
		4000	2.92	5	21	105	4000868006943	3180009804000
* certified with the QNG-ready seal								






<b>Log cabin, spruce/fir, PEFC, made in Germany</b> 								
 WMC 	19 x 121	2100	1.27	5	27	135	4000868166494	3180019602100
		2400	1.45	5	27	135	4000868166500	3180019602400
		2700	1.63	5	27	135	4000868166517	3180019602700
		3000	1.82	5	27	135	4000868166524	3180019603000
		3600	2.18	5	27	135	4000868166548	3180019603600
		4200	2.54	5	27	135	4000868166531	3180019604200



<b>Combination profile (standard/chamfer), Douglas fir, planed on two sides, PEFC, made in Germany</b> 								
 WMC 	19 x 116	2000	1.16	5	45	225	4000868804778	3900010602000
		3000	1.74	5	45	225	4000868804785	3900010603000



<b>Softline white varnished, spruce/fir, PEFC, made in Germany</b> 								
 A 	14 x 121	2400	2.03	7	27	189	4000868021793	3100011702400
		3000	2.54	7	27	189	4000868021816	3100011703000



# URBAN LIVING

## WOOD

TIMBER

- ✓ low-maintenance
- ✓ decorative
- ✓ breathable
- ✓ durable
- ✓ timeless

OUTDOOR WOOD

ENERGY WOOD






















### PRODUCT DESCRIPTION:

- shrink-wrapped, EAN-coded, labelled
- high-quality, silk matt water-based paint



Examples of applications: Realisation of wood ideas, wall and ceiling cladding for interiors, decorative wood cladding of all kinds, ...

	Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type		EAN	Supplier item number	
					pcs/ bundle	bun- dles/ pallet			
<b>Solid wood profile, coniferous wood, unplanned, (U-joint) natural, PEFC, made in Germany</b>									
		19 x 146	2500	1.83	5	14	70	4000868166975	3180088602500
	 WMC ★★★★								
<b>Solid wood profile, coniferous wood, unplanned, (U-joint) brown, PEFC, made in Germany</b>									
		19 x 146	2500	1.83	5	14	70	4000868166951	3180088802500
	 WMC ★★★★								
<b>Solid wood profile, coniferous wood, unplanned, (U-joint) white, PEFC, made in Germany</b>									
		19 x 146	2500	1.83	5	14	70	4000868166968	3180088902500
	 WMC ★★★★								

	Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type			EAN	Supplier item number
					pcs/ bundle	bun- dles/ pallet	pcs/ pallet		
<b>Solid wood profile, coniferous wood, unplanned, (U-joint) grey, PEFC, made in Germany</b> 									
	 WMC 	19 x 146	2500	1.83	5	14	70	4000868166944	3180088702500
									
<b>End strip, coniferous wood, unplanned, natural, PEFC, made in Germany</b> 									
	 WMC 	24 x 54	2500		6	4	24	4000868166982	3180089002500
<b>End strip, coniferous wood, unplanned, brown, PEFC, made in Germany</b> 									
	 WMC 	24 x 54	2500		6	4	24	4000868167002	3180089202500
<b>End strip, coniferous wood, unplanned, white, PEFC, made in Germany</b> 									
	 WMC 	24 x 54	2500		6	4	24	4000868167019	3180089302500
<b>End strip, coniferous wood, unplanned, grey, PEFC, made in Germany</b> 									
	 WMC 	24 x 54	2500		6	4	24	4000868166999	3180089102500



# FLOORBOARDS

TIMBER

OUTDOOR WOOD

ENERGY WOOD

### PRODUCT DESCRIPTION:

- finely planed
- shrink-wrapped, EAN-coded, labelled
- various lengths available
- specially dried



- ✓ improves the interior climate
- ✓ promotes a sense of comfort
- ✓ warm to the feet
- ✓ hygienic
- ✓ breathable
- ✓ healthy

Examples of applications: Flooring in living spaces, attic, outbuildings, garden houses, ...

Quality/Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> /bundle	Packaging type		EAN	Supplier item number
				pcs/bundle	bundles/pallet		

### Floorboards, spruce/fir, PEFC, made in Germany



22.5 x 121

	2100	1.02	4	27	108	4000868030511	3180034402100
	2400	1.16	4	27	108	4000868030528	3180034402400
	3000	1.45	4	27	108	4000868030542	3180034403000
	4200	2.03	4	27	108	4000868030580	3180034404200



- ✓ improves the interior climate
- ✓ breathable
- ✓ warm to the feet
- ✓ healthy

## PRODUCT DESCRIPTION:

- finely planed
- shrink-wrapped, EAN-coded, labelled



Examples of applications: In ancillary rooms, outbuildings, garden houses, subfloors, ...

Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type			EAN	Supplier item number
				pcs/ bundle	bun- dles/ pallet	pcs/ pallet		
<b>T&amp;G timber, coniferous wood, dried, PEFC, made in Germany</b>								
 Class 2-3 ★★★	19 x 96	2000	1.15	6	44	264	4000868160089	3180008002000
		2500	1.44	6	44	264	4000868160096	3180008002500
		3000	1.73	6	44	264	4000868160003	3180008003000
		4000	2.30	6	44	264	4000868160119	3180008004000
 Class 2-4 ★★	19 x 96	2000	1.15	6	44	264	4000868160539 *	3180014502000
		2500	1.44	6	44	264	4000868160546 *	3180014502500
		3000	1.73	6	44	264	4000868160553 *	3180014503000
		4000	2.30	6	44	264	4000868160683	3180014504000

Other versions available on a sporadic basis.

\* certified with the QNG-ready seal






## T&G timber, coniferous wood, dried, PEFC, made in Germany


 Class 2-3 ★★★	19 x 116	2000	1.16	5	45	225	4000868159809	3180008302000
		2500	1.45	5	45	225	4000868159816	3180008302500
		3000	1.74	5	45	225	4000868159823	3180008303000
 Class 2-4 ★★	19 x 116	2000	1.16	5	45	225	4000868160621	3180014902000
		2500	1.45	5	45	225	4000868160638	3180014902500
		3000	1.74	5	45	225	4000868160645	3180014903000

Other versions available on a sporadic basis.

## T&G timber, spruce/fir, resorted, dried, PEFC, made in Germany

 Class 2-3 ★★★	22.5 x 121	2100	1.02	4	36	144	4000868001955	3180040502100
		2400	1.16	4	36	144	4000868001962	3180040502400
		3000	1.45	4	36	144	4000868001986	3180040503000
		4200	2.03	4	36	144	4000868003669	3180040504200

	Quality/ Grading	Dimension (mm)	Length (mm)	m <sup>2</sup> / bundle	Packaging type			EAN	Supplier item number
					pcs/ bundle	bun- dles/ pallet	pcs/ pallet		
<b>T&amp;G timber, spruce/fir, resorted, dried, PEFC, made in Germany</b> 									
	 Class 2-3 	27 x 146	2100	0.92	3	28	84	4000868004574 *	3180047402100
			2700	1.18	3	28	84	4000868004598 *	3180047402700
			3600	1.58	3	28	84	4000868004505	3180047403600
* certified with the QNG-ready seal									
									

<b>T&amp;G timber, Douglas fir, resorted, dried, PEFC, made in Germany</b> 									
	 Class 2-3 	21 x 96	2000	0.96	5	44	220	4000868801593	3900015202000
			3000	1.44	5	44	220	4000868801616	3900015203000
			Other versions available on a sporadic basis.						
									

<b>T&amp;G timber, Douglas fir, resorted, dried, PEFC, made in Germany</b> 									
	 Class 2-3 	21 x 116	2000	0.93	4	45	180	4000868802446	3900016102000
			3000	1.39	4	45	180	4000868802460	3900016103000
			4000	1.86	4	45	180	4000868807786	3900016104000
Other versions available on a sporadic basis.									
									