WOOD TERRACE DECKING

 \checkmark

ACCESSORIES

increased durability and service life 🗸 structural timber protection

PRODUCT DESCRIPTION:

accessories for structural wood protection for terrace decking

Examples of applications: Terrace floors and wooden decking, garden and path design, ...

	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
Stainless steel screws with self-tapp	ing tips				
-	4.5 x 60	100	16	4000868999849	9600009900000

Spacer for floor planks, distance between joints 5 mm, black, made in Germany 💳								
	40 x 80 x 5	50	20	4000868999580	9600010800000			
Ro Ro		Stru	Quantity requir	n increases the service red for 120 mm-wide pla red for 145 mm-wide pla	ank: 16 pcs per m²			

Support pads for substructure, bla	ck				
	3 x 60 x 90	60	24	4000868998989	9600011800000
	8 x 60 x 90	48	20	4000868998972	9600011900000
	20 x 60 x 100	20	12	4000868999733	9600010300000

Place under substructure with spacing of 60 cm. Permanently weatherproof thanks to high-quality plastic.

	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
Small Foot" terrace foot, for levell	ing gradients up to 3	0 mm, black, made in	Germany		
	150 x 150 x 35-65	1	30	4000868999566	960001090000
۵.			Load-bearing c	substructure with sp capacity per terrace for therproof thanks to h	oot approx. 400 k
Big Foot" terrace foot, for levelling	g gradients up to 80 n 190 x 190 x 60-140	nm, black, made in Ge 1	rmany – 24	4000868998521	960001290000
<u></u>				der substructure with	
20				apacity per terrace for the terrace for terrace fo	oot approx. 400 k
Cross Foot" tile foot, for levelling g	gradients up to 30 mr 150 x 150 x 35-65	n, black, made in Gerr 1	Permanently weat		oot approx. 400 k

Permanently weatherproof thanks to high-quality plastic.

Suitable for wooden tiles 49 mm thick and above, and for stone and concrete tiles. Please observe the specifications of the manufacturer.



LEARN MORE...



ACCESSORIES FOR


ARTWOOD TERRACE DECKING

special accessories for the professional construction of ARTWOOD terrace decking easy to install thanks to clip system
uniform plank spacing

PRODUCT DESCRIPTION:

- structural accessories for ARTWOOD terrace decking
- fixing systems for ARTWOOD planks

Examples of applications: WPC/GCC terrace floors and wooden decking, garden and path design, ...



	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number	
Support pads for substructure, black						
	3 x 60 x 90	60	24	4000868998989	9600011800000	
	8 x 60 x 90	48	20	4000868998972	9600011900000	
	20 x 60 x 100	20	12	4000868999733	9600010300000	
				er substructure with herproof thanks to h		
"Small Foot" terrace foot, for levelling	gradients up	to 30 mm, black, mac	le in Germany			
	150 x 150 x 35-65	1	30	4000868999566	9600010900000	
			Load-bearing c	substructure with sp apacity per terrace fo herproof thanks to h	oot approx. 400 kg.	
"Big Foot" terrace foot, for levelling gr	190 x 190 x	9 80 mm, black, made i 1	in Germany 💳	4000868998521	9600012900000	
**	60-140		Install under substructure with spacing of 60 Load-bearing capacity per terrace foot approx. 400 Permanently weatherproof thanks to high-quality plas			
Spacer for ARTWOOD end strips, anth	nracite, made 30 x 40 x 10	in Germany 💻	20	4000868999412	9600015600000	
no						



ARTWOOD - INNOVATIVE TERRACE DECKING SYSTEM

permanent outdoor use

all advantages at a glance \checkmark

information on durability, colour \checkmark development, application options, ...

🗸 tips & tricks for

cleaning and care